

# Industrial ventilated safety helmet

## ATRA 10V

**PROTEKT®**



Made  
in Poland



EN 397:2012+A1:2012



dedicated  
for working  
at height



✓ lightweight  
and robust construction  
made of ABS plastic;  
weight only **430 g**

✓ range of temperature  
**-30°C / +50°C**

✓ rotatable or fixed ergo-  
nomic headband

✓ range of adjustment  
51-63 cm

✓ adjustable  
4-point chin strap

✓ great ventilation



# Industrial ventilated safety helmet ATRA 10V



white



yellow



red



blue



Hi-Vis yellow



orange



green



pink

The ATRA 10V helmet has been designed to protect the user's head against falling objects. It meets the requirements of the EN 397 standard and can be used in the temperature range of -30°C / +50°C.

It is characterized by high strength, low weight and a wide adjustment range. In the helmet shell made of ABS, there are 10 ventilation holes ensuring users' comfort even on hot days.

ATRA 10V is equipped with universal 30 mm sockets that allow the installation of additional equipment such as earmuffs or face protectors.

Each helmet includes:

- helmet shell
- chin strap (attached to the helmet shell in 4 points)
- support tapes (attached to the helmet shell in 6 points)
- main harness headband with a convenient adjustment mechanism carried out with a knob
- removable, velour sweatband

The originally packed, an unused helmet may be stored, under appropriate conditions, for a maximum of 5 years from the manufacture date.

After the first use, under normal conditions \*, the helmet can be used for a maximum of 5 years.

The influence of external factors from the environment in which the helmet is used has a large impact on its mechanical performance. Inadequate storage conditions, lack of regular cleaning of the helmet, or excessive exposure to chemicals or UV radiation, can result in shorter shelf life. Shelf life should not be understood as a warranty.

## TYPICAL APPLICATION:

**working at height / construction industry / forestry / industry.**





## Headband regulation



PATENT-  
PENDING  
DESIGN

The integrated regulation **mechanism padding** has **a light, soft and flexible design** that ensures comfortable and hygienic use.



Seamless regulation of the headband circumference by a knob adjustment range 51-63 mm.



**Rotatable headband**



**Fixed headband**

IH ■■■ 100 ■■■  
↓

IH 101 100 001

□ white

IH 101 100 002

■ yellow

IH 101 100 003

■ red

IH 101 100 004

■ blue

IH 101 100 005

■ Hi-Vis yellow

IH 101 100 006

■ orange

IH 101 100 007

■ green

IH 101 100 008

■ pink

IH ■■■ 200 ■■■  
↓

IH 101 200 001

IH 101 200 002

IH 101 200 003

IH 101 200 004

IH 101 200 005

IH 101 200 006

IH 101 200 007

IH 101 200 008


## Example of an order reference number

**IH 101 100 004**

ventilated  
101

rotatable headband  
100

blue  
004



**IH 101 200 005**

ventilated  
101

fixed headband  
200

Hi-Vis yellow  
005





# Spare parts for helmet ATRA 10V



**IH 000 100 000**  
rotatable headband



**IH 000 200 000**  
fixed headband



**IH 000 100 020**  
6-point support tapes



**IH 000 001 000**  
4-point chinstrap with quick release buckle



**IH 000 100 080**  
velour sweatband