

# P-600




EN 361  
EN 358

Safety harness  
for work positioning

## PRO-FIT

**NEW!**



**BREATHABLE  
MESH VEST**




**ATTACHMENT  
D-RING: A**



**ATTACHMENT  
LOOPS: A/2**



**FALL INDICATORS**



**WORK POSITIONING  
BELT WITH  
ATTACHING POINTS  
D-RING**



**ATTACHMENT  
LOOPS: A/2**



**SEMI-RIGID  
LUMBAR BELT**



**AUTOMATIC  
BUCKLES**



**MOVABLE  
PADS  
ON THIGHS**

**PROTEKT**

OFFICE - Skromna 6, 93-405 Lodz, POLAND / CORRESPONDENCE ADDRESS - PROTEKT, Starorudzka 9, 93-403 Lodz, POLAND  
SALES DEPARTMENT Phone +48 42 29-29-500, export@protekt.com.pl, fax +48 42 680-20-93  
WAREHOUSE - Gombrowicza 6, 93-405 Lodz, POLAND

WWW.PROTEKT.UK

# P-600

EN 361:2002  
EN 358:2018

Max. weight of  
one user: 140 kg

## Safety harness for work positioning

### EASY-TO-USE HARNESS TO WORK POSITIONING, PROTECTING AGAINST FALLS

The **P-600** is a safety harness integrated with a supporting belt. Made on the basis of the **PRO-FIT** construction, which enables quick installation and adjustment of the harness to the user's figure. The vest made of mesh allows the skin to breathe freely and prevents sweating, guaranteeing comfort at work. The **P-600** are equipped with 3 attachment points. The rear one in the form of an aluminum D buckle and two front ones: thoracic and abdominal in the form of a pair of interlocking loops.

The Abdominal Attachment Point is intended for use with vertical fall arrest systems. During operation, the load is evenly distributed over the belt, ensuring optimal comfort. During a fall, the hooking point moves up to the level of the chest, ensuring a vertical position of the body after stopping the fall. The harness also has fall indicators which automatically rip open to indicate the necessity of withdrawing the harness from use.



  
**PRO-FIT**



## SPECIFICATION

- The **PRO-FIT** cut for easy donning and guaranteeing a fit
- Optimum freedom of movement
- Work comfort:  
lightweight, breathable material (mesh)
- Automatic buckles (belt and thighs)
- Hitch loops for front and rear
- Buckles for work in support
- Hitch loop for work on the rail
- Fall indicator
- 3 hitch loops: front, rear; front - rail
- 2 equipment loops
- Adjustment shoulder straps, belt and thigh straps
- Sizes: **S / M-XL / XXL**

# P-600

# AVAILABLE COLOR VERSIONS

Hi-Viz Yellow



Hi-Viz Orange



Gray



Hi-Viz Green

